Waterworks District #8 of Wards 3 and 8

Febtruary 11, 2020

The meeting was called to order by Deborah Fontenot, President. Members present: Deborah Fontenot, Helen Duhon, Bernard Habetz and Rick Batchelor. Also present: Mitch Hoffpauir, Joe Miller and Kim LaRocca.

Rick Batchelkor opened the meeting with a prayer.

Deborah Fontenot reviewed the minutes and made a motion to dispense reading, seconded by Bernard Habetz. Motion carried.

Helen Duhon reviewed the bills and made a motion to pay the bills, seconded by Bernard Habetz. Motion carried.

Bids for repainting of Prestressed Concrete storage storage tank were as follows:Diamond Enterprise, Inc.\$44,000.00Precision Inspection of Plaucheville, LLC.\$76,000.00Stephens TPS, Inc.\$44,000.00Mark McCarty reviewed the bids and found some thingsmissing in Diamond Enterprise packet,therefore the contract was awarded to Stephens TPS.

Bernard Habetz made a motion to purcase a new truck, seconded by Rick Batchelor. Motion carried.

MANAGERS REPORT: Tower tank back on line

	50 total days	50 total days Million gallons of water per day	
	Million gallor		
	Chemicals:	usual; \$5,000cost during process,	
\$10,000			
	Electricity:	usual \$2,300cost during	
process, \$20,00			
	Payroll:	usual: 12,000cost during	

process \$20,000

Generator update: The installation of new generator will begin Thursday, February 13, 2020. The office will be without electricity for approximately 8 hours.

Bids for a new truck will be advertised

Bernard Habetz made a motion to accept sealed bids for the old truck seconded by Rick Batchelor. Motion carried.

Deborah Fontenot made a motion to go into Executive Session (employee raises) seconded by Bernard Habetz. Motion carried.

Helen Duhon made a motion to return to regular session, seconded by Rick Batchelor. Motion carried. The employees were given a raise.

A comment period was held.

Helen Duhon made a motion to adjourn, seconded by Rick Batchelor. Motion carried. The meeting was adjourned.

Submitted by Helen Duhon, Secretary.